

**GATOR GUARD**

INNOVATIVE FLOOR PROTECTION

TITANIUM



**10X**  
STRONGER THAN  
CARDBOARD

**REUSABLE**  
WITH  
FAST & EASY INSTALL

**100%**  
RECYCLABLE

**ANTI  
SLIP**

**IMPACT  
RESISTANT**

**WATER  
ABSORBANT  
& LEAK PROOF**



**HEXA  
GRIP®**  
ANTI-SLIP SURFACE

[WWW.GATORGUARDUS.COM](http://WWW.GATORGUARDUS.COM)



# GATOR GUARD®

# FLOOR PROTECTION

## ANTI SLIP HEXA GRIP® TECHNOLOGY

Advanced embossed surface increases traction and stability, even in wet conditions.

## TOUGH & PUNCTURE-RESISTANT

Jobsite-grade durability against tools, ladders, and relentless foot traffic.

## LAYS FLAT. NO CURL BACK

Engineered to lay flat for quick installation. Just kick, cut, and tape.

## REUSABLE & NON-MARKING

Cleans easily and protects finished floors without residue. To reuse just reroll for the next project

### Product code GG-TITAN

### General Specifications

Feature (Gator Guard)

Composition	Polypropylene PP
Color	Grey & Black
Thickness	250 GSM
Weight	7.71 Kg / 17.00 Lbs
Width	38 Inch
Length	100 Feet
Total Square Feet	317 Sqft
Core Type	1" Paper core
1 Pallet/Skid	46 Rolls
Rolls per 40 FT HQ Container	42 Pallets/1932 Rolls
Logo	Gator Guard or Custom branding
Installation	Lay flat on the floor, Open roll and simply kick to install. Tape edges.
Top Surface	Anti Slip Hexa Grip Surface
Back Surface	PE



**10X**  
STRONGER THAN  
CARDBOARD

**REUSABLE**  
WITH  
FAST & EASY INSTALL

**100%**  
RECYCLABLE

**ANTI  
SLIP**

**IMPACT  
RESISTANT**

**WATER  
ABSORBANT  
& LEAK PROOF**



**HEXA  
GRIP®**  
ANTI-SLIP SURFACE

[WWW.GATORGUARDUS.COM](http://WWW.GATORGUARDUS.COM)



# GATOR GUARD®

# FLOOR PROTECTION

## ✓ ANTI SLIP HEXA GRIP® TECHNOLOGY

Advanced embossed surface increases traction and stability, even in wet conditions.

## ✓ TOUGH & PUNCTURE-RESISTANT

Jobsite-grade durability against tools, ladders, and relentless foot traffic.

## ✓ LAYS FLAT. NO CURL BACK

Engineered to lay flat for quick installation. Just kick, cut, and tape.

## ✓ REUSABLE & NON-MARKING

Cleans easily and protects finished floors without residue. To reuse just reroll for the next project

### Product code GG-GOLD

### General Specifications

#### Feature (Gator Guard)

Composition	Polypropylene PP
Color	Gold & Black
Thickness	250 GSM
Weight	7.71 Kg / 17.00 Lbs
Width	38 Inch
Length	100 Feet
Total Square Feet	317 Sqft
Core Type	1" Paper core
1 Pallet/Skid	46 Rolls
Rolls per 40 FT HQ Container	42 Pallets/1932 Rolls
Logo	Gator Guard or Custom branding
Installation	Lay flat on the floor, Open roll and simply kick to install. Tape edges.
Top Surface	Anti Slip Hexa Grip Technology
Back Surface	PE

SELF ADHESIVE FLOOR PROTECTION



**10X**

STRONGER THAN  
CARDBOARD

**REUSABLE**

**100%**

RECYCLABLE

**PADDED  
GLUFELT**

IMPACT RESISTANT  
CUSHION

**LAYS  
FLAT**

**WATER  
ABSORBANT  
& LEAK PROOF**



**HEXA  
GRIP®**  
ANTI-SLIP SURFACE

[WWW.GATORGUARDUS.COM](http://WWW.GATORGUARDUS.COM)



# GATOR GLUFELT®

# FLOOR PROTECTION

## BUILT-IN ADHESIVE BACKING

Self-adhering surface holds firmly in place without taping.

## EXTRA PADDED PROTECTION

Dense felt construction cushions floors from impact, tools, and foot traffic.

## ABSORBENT & WATERPROOF

Soaks up spills while protecting finished surfaces from stains and scuffs.

## CLEAN REMOVAL

Peels up easily without residue or damage when the job is complete.

Product code GGLU-270

### General Specifications

Feature (Gator Glufelt)

Composition	PP, PE & Polyester
Color	Grey
Thickness	270 GSM
Weight	6.35 Kg / 14.00 Lbs
Width	36 Inch
Length	100 Feet
Total Square Feet	300 SQFT
Core Type	1" PVC
Rolls per carton	30 rolls
Rolls per 40 FT HQ Container	
Logo	Gator Glufelt or Custom branding
Installation	Lay flat on the floor, Open roll and press on top surface with hands. Tape edges.
Top Surface	Anti Slip Hexa Grip shock absorbing surface
Back Surface	Polyester with Adhesive

# CARPET PROTECTION FILM



**PROTECTS  
CARPETS**

**WATER  
PROOF**

**NO  
RESIDUE**

**EASY  
APPLICATION**

**100%  
RECYCLABLE**

**TEAR  
PROOF**

**FAST & EASY INSTALL**

**WWW.GATORGUARDUS.COM**



# GATOR GUARD®

# CARPET PROTECTION



## BUILT FOR ACTIVE JOB SITES

Protects carpets from dirt, spills, and heavy foot traffic.



## SECURE DESIGN

Engineered backing minimizes shifting and edge lift.



## WATER PROOF

Keeps liquids and moisture from damaging your carpets.



## CLEAN REMOVAL

Applies fast and removes without residue or carpet damage.

### CARPET PROTECTION FILM

Product code CP-24X200 & CP-36X200

#### General Specifications

Feature (Gator Grip Film)

Composition	PSA Acrylic
Color	Clear
Thickness	2.5 MIL
Weight	Various
Width	24 & 36 Inch
Length	200 Feet or Custom
Total Square Feet	Various
Core Type	76 mm
1 Pallet/Skid	4 rolls per carton with 40 cartons on 1 skid
Rolls per 40 FT HQ Container	Various
Logo	Gator Guard or Custom branding
Installation	Lay flat on the floor, Open roll and press against carpet for adhesion.
Top Surface	Clear film
Back Surface	Water Based Glue



**PADDED**  
FOR EXTRA  
CUSHIONING

**WATER  
PROOF**

**NO  
RESIDUE**

**EASY  
APPLICATION**

**100%  
RECYCLABLE**

**TEAR  
PROOF**

  
**GATOR  
ARCTIC**

[WWW.GATORGUARDUS.COM](http://WWW.GATORGUARDUS.COM)



# GATOR ARCTIC

# FLOOR PROTECTION



## ✓ WATER PROOF, PADDED PROTECTION

Does not let liquids penetrate and absorbs impact.

## ✓ SLIP-RESISTANT BACKING

Lays flat and stays in place to reduce movement on active job sites.

## ✓ NON-MARKING SURFACE

Won't stain, transfer, or leave marks on new flooring.

## ✓ REUSABLE & EASY TO CLEAN

Wipe, vacuum, roll up, and reuse across multiple jobs.

### Product code GARC-WP

### General Specifications

Feature (Leave Blank)

Composition	PP, PE & Polyester
Color	White
Thickness	180 GSM
Weight	5.17 Kg / 11.40Lbs
Width	36 Inch
Length	100 Feet
Total Square Feet	300 SQFT
Core Type	1" PVC
Rolls per carton	30-50 rolls
Rolls per 40 FT HQ Container	2600 rolls
Logo	Gator Arctic or Custom branding
Installation	Lay flat on the floor, Open roll and press on top surface with hands. Tape edges.
Top Surface	PE film for waterproofing
Back Surface	Polyester with Adhesive